Istall Ext JS Posted by pugliesi - 2009/08/15 01:37 I'm sorry for ask a silly question like this. But I'm still trying to learn how to use joomla 1.5. I'm a brazialian journalist and I'm building a news portal in the internet. That's why I've buy a ari smart content. However I did not know how to install Ext JS on my web server? Can you help me? Thanks. Best Regards Felipe Pugliesi Jr. pugliesi@uol.com.br ______ Re:Istall Ext JS

Posted by admin - 2009/08/15 07:46

Hello,

Do you mean Ext JS plugins from ARI Smart Content plugins repository? If it's right, then download needed plugin from repository, unzip it and read readme.txt file, this file contains instruction how to install plugin.

Regards. ARI Soft

Re:Istall Ext JS

Posted by pugliesi - 2009/08/15 12:58

Hello,

Tanks for your answer.

I mean extjs javascipt frame work, that the plugin in this page tells its necessary to install:

http://smart.ari-soft.com/component/option.com/phocadownload/Itemid,15/id,4/view,category/

I'did not realise how to install ExtJS javascript library on my web server, that is required for some content plugins, like plg_ariextjsloader.zip. This looks is already installed but the system shows it as not habilited. I belive that's because didn't install extjs javascript library correctly in the web server. Can you help showing me how to do that?

Re:Istall Ext JS Posted by admin - 2009/08/16 08:03

Now ARI ExtJS loader plugin needs only for ARI ExtTabs plugin. If you don't want to use ARI ExtTabs, you don't need ARI ExtJS loader plugin. Could you describe exactly your issue that we can help you.

Regards, ARI Soft

Hello,

Re:Istall Ext JS

Posted by pugliesi - 2009/08/17 02:19

Hello,

I send in the attach an image of my screen. As you can see, some of plugins seens to be not habilited. I belive its because I could not install extis library correctly. Can you help me do so? http://www.arisoft.com/images/fbfiles/files/images.zip

Re:Istall Ext JS

Posted by admin - 2009/08/17 02:25

Hello.

It seems that all correct. 'Enable' checkbox is disabled because it's system plugin and you can't disable it. Could you describe your issue? Some plugin which you try to use don't work or you have another problem?

Regards, ARI Soft

Re:Istall Ext JS

Posted by pugliesi - 2009/08/18 12:59

Hello.

As a matter of fact, I'm knew in joomla. And I'm still making some tests and learning. I'd like to know if you have some kind of manual for beginners that teach how to use all features of ari smart content. I think it would be very productive, especially for cases like mine.

Regards.

Re:Istall Ext JS

Posted by admin - 2009/08/18 13:59

Hello.

ARI Smart Content contains two type of plugins: system and content.

System plugins needed for content plugins for loading javascript frameworks or for another system purpose. This type of plugins is loaded automatically and in the most case it doesn't require user intervention for correct work. Another type of plugins is content type. Content plugins from ARI Smart Content works as the most Joomla! content plugin. You need add plugin code to needed place in your Joomla! content (article, news or another content) where you want to use plugin. Plugin code consists of several parts:

1) Plugin tag. It's string "tag" which appears inside braces {}. Each plugin has unique tag. Tag which looks like {tag} called open tag. Usually open tag requires closed tag which appears inside braces {} and have "/" before tag name. Closed tag is placed at end of plugin code. For example, ARI MooTable has arimootable tag and if you want to add ARI MooTable plugin to your content, you can use the following code:

{arimootable}
// plugin content goes here
{/arimootable}

2) Plugin tag attribute. It's used together with plugin tag. Attribute defines the properties of plugin tag. Description of each attribute for needed plugin you can find in plugin description on plugin settings page. If attribute is omitted it has default value which you can define on plugin settings page. For example, if you want to define width attribute with value 100 for {mootable} tag, use the following code:

{arimootable width="100"}
// plugin content goes here
{/arimootable}

3) Plugin content. Content with which the plugin will work. For example for table plugin it will be HTML table. It is placed between open and closed tags.

Regards,

ARI Soft			