ari smart content

Posted by omerva - 2016/11/29 12:05

I would like to insert a ARI DATA TABLE table in a table of ARI SMART CONTENT connected to the main table ID but I can not use {\$ REQUEST: ID}.

it's possible?

Re:ari smart content

Posted by admin - 2016/11/29 12:08

Hello,

Remove unnecessary spaces, If want to use ID request variable, the variable should be:

{\$REQUEST:ID}

Regards, ARI Soft

Re:ari smart content

Posted by omerva - 2016/11/29 13:37

It is not a space problem. The indicated areas are just a typo in the message.

I can not use {\$REQUEST:ID} because I do not Linko and not I select the ID The main table is filtered from another table with a clustered field with Group By.

I have a table that contains all the news related to various subjects and a second table that contains attached documents that can also several and they are all connected to the same ID of the main table.

I want to group all the attachments in the ARI SMART CONTENT selected by name, subject, type etc.

As seen from the image file attached, currently creates the table I of individual records for each attachment (I use LEFT JOIN to link the tables).

I tried plugging in the href selection ID = {\$colums:ID} and it works but, as a result of the GROUP BY keeps me one for grouped ID field.

I'm sorry for the inconvenience of the spaces created by the Google translator I use for messages.

Thank you

Remo

Re:ari smart content

Posted by omerva - 2016/11/29 13:38

It is not a space problem. The indicated areas are just a typo in the message.

I can not use {\$REQUEST:ID} because I do not Linko and not I select the ID The main table is filtered from another table with a clustered field with Group By.

I have a table that contains all the news related to various subjects and a second table that contains attached documents that can also several and they are all connected to the same ID of the main table.

I want to group all the attachments in the ARI SMART CONTENT selected by name, subject, type etc.

As seen from the image file attached, currently creates the table I of individual records for each attachment (I use LEFT JOIN to link the tables).

I tried plugging in the href selection ID = {\$colums:ID} and it works but, as a result of the GROUP BY keeps me one for grouped ID field.

I'm sorry for the inconvenience of the spaces created by the Google translator I use for messages.

Thank you

Remo http://www.ari-soft.com/images/fbfiles/images/images_A.jpg

Re:ari smart content Posted by admin - 2016/11/29 16:17 Could you send screenshots of modules and data sources settings by email? Regards, ARI Soft