

---

## Change Radio Buttons for Answers

Posted by Heti - 2017/01/28 19:01

---

Dear ARI Team,

we have the problem, the the user only can answer if he click on the "Radio Button".  
We need them to style and change the Radio Button to a normal Button or anything else.

We have a purchased License and have e-mailed you for a view days.

Can you please tell us in which file we can change this settings?

Thank you

greetings

Jean-Pierre KÄ¶hler  
Heti-Tec CTO

=====

## Re:Change Radio Buttons for Answers

Posted by admin - 2017/01/29 07:54

---

Hello,

We re-sent the mail with original javascript file from our secondary email.

The first mail sent several days ago, check spam or junk folders please.

Regards,  
ARI Soft

=====

## Re:Change Radio Buttons for Answers

Posted by Heti - 2017/01/29 22:03

---

Dear Ari Team,

thanks for the mail, but now we have a other problem....

we need the buttons like this Page: <https://www.quiz-blick.ch/>  
We must change them to joomla.

The Answer Buttons must have the same Style and Function and we need the two Joker Buttons.

Can you Pleas send uns some code ore anything else to change them that its looks axactly like the other page??

Thank you

Greetings

Jean-Pierre KÄ¶hler  
Heti-Tec CTO

=====

## Re:Change Radio Buttons for Answers

Posted by admin - 2017/01/30 08:14

---

Hello,

---

Could you send a screenshot with button which you need? Do you need it for "Single Question" question type only?

Regards,  
ARI Soft

=====

## Re:Change Radio Buttons for Answers

Posted by Heti - 2017/01/30 09:19

---

Hi,

here the screens  
Thanks for the support

=====

## Re:Change Radio Buttons for Answers

Posted by Heti - 2017/01/30 09:21

---

Inactive <http://www.ari-soft.com/images/fbfiles/images/inactive.PNG>

=====

## Re:Change Radio Buttons for Answers

Posted by Heti - 2017/01/30 09:22

---

Activ correct answer [http://www.ari-soft.com/images/fbfiles/images/active\\_correct.PNG](http://www.ari-soft.com/images/fbfiles/images/active_correct.PNG)

=====

## Re:Change Radio Buttons for Answers

Posted by Heti - 2017/01/30 09:22

---

active wrong answer [http://www.ari-soft.com/images/fbfiles/images/active\\_wrong7.PNG](http://www.ari-soft.com/images/fbfiles/images/active_wrong7.PNG)

=====

## Re:Change Radio Buttons for Answers

Posted by Heti - 2017/01/30 09:24

---

And yes only for single question

=====

## Re:Change Radio Buttons for Answers

Posted by admin - 2017/01/30 18:34

---

Open questions.js file, find "getRadioViewHtml" method for "SingleQuestion" question and replace it with the following code:

```
getRadioViewHtml: function (readOnly) {  
    var id = this.getId(),  
        answers = "",  
        containerTemplate = '#{answers}',  
        itemTemplate =
```

```

        \
        #{choice} #{num} \
        #{answer}' + (this.postfix ? ' ' + this.postfix + " : ") + '\
    \
    ';

    if (this.questionData) {
        for (var i = 0, cnt = this.questionData.length; i < cnt; i++) {
            var dataItem = this.questionData,
                checked = dataItem || false;

            answers += AS.core.format(itemTemplate, {
                hidQuelId: dataItem.hidQuelId,
                ctrlId: id,
                questionId: this.questionId,
                answer: dataItem,
                choice: LM.getMessage('COM_ARIQUIZ_CHOICE'),
                num: AQ.questions.util.getAnswerNumber(i + 1, this.answersOrderType),
                checked: checked ? ' checked="checked"' : "",
                selectedClass: checked ? 'aq-answer-selected' : "",
                readOnly: readOnly ? ' disabled="disabled"' : ""
            })
        }
    }
};

return AS.core.format(containerTemplate, {
    "containerId": this.getContainerId(),
    "answers": answers
});
},

```

and add the following CSS rules to a CSS file (for example to a site template CSS file):

```

.aq-singlequestion {padding-right:20px;}
.aq-singlequestion .aq-answer-label {display:none;}
.aq-singlequestion .aq-answer-container .aq-clear {display:none;}
.aq-singlequestion .aq-answer {width:100%;cursor:pointer;border:1px solid #c4c4c4;background:linear-
gradient(#fefefe,#e7e7e7);padding:10px!important;border-radius:10px;text-align:center;}
.aq-singlequestion .aq-answer-selected {background:#fff326;}

```

It will show single questions like on the screenshot below. You can add some styles to adapt it for your design:

<http://www.ari-soft.com/images/fbfiles/images/single.jpg>

Regards,  
ARI Soft

## Re:Change Radio Buttons for Answers

Posted by Heti - 2017/02/01 19:27

Dear ARI Team,

First off all - thanks your for great support.

Unfortunately, the code doesnâ€™t help us.

We cant make it with this Code.

WE sent you our coding, there you can see how we did it in our earlier Project.

---

How can we manage this?  
We hope you can help us.

Greetings

Pierre KÄ¶hler  
CTO Heti-Tec [http://www.ari-soft.com/images/fbfiles/files/QUIZ\\_Earlier\\_Projekt.zip](http://www.ari-soft.com/images/fbfiles/files/QUIZ_Earlier_Projekt.zip)

=====

## Re:Change Radio Buttons for Answers

Posted by admin - 2017/02/01 19:47

---

Could you explain what problem do you have with the code which we provided?

Regards,  
ARI Soft

=====

## Re:Change Radio Buttons for Answers

Posted by Heti - 2017/02/01 20:08

---

Dear Ari Team,

what we need is, that the user click the button and the script show the right answer and mark the. If the clicked Button right, it will be gree, else it will be marked red and the correct answer will be marked green.

In the code we have send to you, the mechanis for what we want do do is in. But we dont finde the right place to implement them....

sorry for that, but we are not js crack like you.

Regards  
Jean-Pierre KÄ¶hler

=====

## Re:Change Radio Buttons for Answers

Posted by Heti - 2017/02/02 16:17

---

Dear ARI Team,

we have sent you an e-mail to [info@ari-soft.com](mailto:info@ari-soft.com) whith a request for quotation.  
We are pleased to read them and send us quickly an answer.

Great Thanks for the last Support, we are happy to hear from you.

Regards  
Jean-Pierre KÄ¶hler

=====

## Re:Change Radio Buttons for Answers

Posted by admin - 2017/02/02 18:32

---

Hello,

Check your mail please.

Regards,  
ARI Soft

=====

## Re:Change Radio Buttons for Answers

Posted by LoungePound - 2020/10/08 23:27

---

Dear Ari Team!

Help me please!

I've been trying to implement your tips above on how to change questions.js and css to change the looks of radio buttons. Css works nice and I really like the way it looks but when I add js code in questions.js as you suggested (to make it clickable) test stops loading. (It's constant small gear forever turning without question loading). Done lots of times - doesn't work.

Could you please give some tips on the possible issue?  
I want to change radio buttons appearance so much!

=====

## Re:Change Radio Buttons for Answers

Posted by admin - 2020/10/09 05:43

---

Hello,

Could you provide a link to a page where the problem occurs?

Regards,  
ARI Soft

=====

## Re:Change Radio Buttons for Answers

Posted by LoungePound - 2020/10/09 15:22

---

sure, here is the page where quiz should start: [t.ly/EGeg](https://t.ly/EGeg)

=====

## Re:Change Radio Buttons for Answers

Posted by admin - 2020/10/11 08:59

---

It seems the problem occurs because changes were made in minified questions.js file. We sent by email the link to original questions.js file. Use it to add changes.

Regards,  
ARI Soft

=====

## Re:Change Radio Buttons for Answers

Posted by LoungePound - 2020/10/11 10:03

---

Thanks a lot for your kind assistance!

Done that, the question now loads and looks fine but options are not clickable.

No matter what answer I click on - nothing happens :(

The way it is now - t.ly/EGeg

---

## Re:Change Radio Buttons for Answers

Posted by admin - 2020/10/11 13:47

---

Replace the following code:

```
if (this.questionData) {
    for (var i = 0, cnt = this.questionData.length; i < cnt; i++) {
        var dataItem = this.questionData,
            checked = dataItem || false;

        answers += AS.core.format(itemTemplate, {
            hidQueld: dataItem.hidQueld,
            ctrlId: id,
            questionId: this.questionId,
            answer: dataItem,
            choice: LM.getMessage('COM_ARIQUIZ_CHOICE'),
            num: AQ.questions.util.getAnswerNumber(i + 1, this.answersOrderType),
            checked: checked ? 'checked="checked"' : '',
            selectedClass: checked ? 'aq-answer-selected' : '',
            readonly: readOnly ? 'disabled="disabled"' : ''
        })
    }
};

return AS.core.format(containerTemplate, {
    "containerId": this.getContainerId(),
    "answers": answers
});
```

with the following one:

```
var containerId = this.getContainerId();
if (this.questionData) {
    for (var i = 0, cnt = this.questionData.length; i < cnt; i++) {
        var dataItem = this.questionData,
            checked = dataItem || false;

        answers += AS.core.format(itemTemplate, {
            hidQueld: dataItem.hidQueld,
            ctrlId: id,
            questionId: this.questionId,
            answer: dataItem,
            choice: LM.getMessage('COM_ARIQUIZ_CHOICE'),
            num: AQ.questions.util.getAnswerNumber(i + 1, this.answersOrderType),
            checked: checked ? 'checked="checked"' : '',
            selectedClass: checked ? 'aq-answer-selected' : '',
            readonly: readOnly ? 'disabled="disabled"' : '',
            containerId: containerId
        })
    }
};

return AS.core.format(containerTemplate, {
    "containerId": containerId,
    "answers": answers
});
```

});

Regards,  
ARI Soft

---

## Re:Change Radio Buttons for Answers

Posted by LoungePound - 2020/10/11 14:58

Applied the code - still no change (leave it as it is now on the site).

tried using that code everywhere in the document (not only in getRadioViewHtml), no result.

---

## Re:Change Radio Buttons for Answers

Posted by admin - 2020/10/11 15:17

It was only need to update the code which we mentioned in our previous post. It seems you also removed your code for itemTemplate so it doesn't work.

Regards,  
ARI Soft

---

## Re:Change Radio Buttons for Answers

Posted by LoungePound - 2020/10/11 15:23

no, I followed as you said, and didn't delete that part. Here is the whole new code:

```
getRadioViewHtml: function (readOnly) {
    var id = this.getId(),
        answers = "",
        containerTemplate = '#{answers}',
        itemTemplate =
        '\
        #{choice} #{num} \
        #{answer}\
        \
        ';

    var containerId = this.getContainerId();
    if (this.questionData) {
        for (var i = 0, cnt = this.questionData.length; i < cnt; i++) {
            var dataItem = this.questionData,
                checked = dataItem || false;

            answers += AS.core.format(itemTemplate, {
                hidQueld: dataItem.hidQueld,
                ctrlId: id,
                questionId: this.questionId,
                answer: dataItem,
                choice: LM.getMessage('COM_ARIQUIZ_CHOICE'),
                num: AQ.questions.util.getAnswerNumber(i + 1, this.answersOrderType),
                checked: checked ? 'checked="checked"' : "",
                selectedClass: checked ? 'aq-answer-selected' : "",
                readonly: readOnly ? 'disabled="disabled"' : "",
                containerId: containerId
            });
        }
    }
}
```

```
    })
  }
};
```

---

## Re:Change Radio Buttons for Answers

Posted by admin - 2020/10/11 15:25

---

Previously it contained "onclick" handler like in this post.

Regards,  
ARI Soft

---

## Re:Change Radio Buttons for Answers

Posted by LoungePound - 2020/10/11 16:01

---

Thanks for the quick reply!

Yes, my bad, sorry. But it still doesn't work. Here is the code I finally got:

```
getRadioViewHtml: function (readOnly) {
    var id = this.getId(),
        answers = "",
        containerTemplate = '#{answers}',
        itemTemplate =
            '\
            #{choice} #{num} \
            #{answer}' + (this.postfix ? ' ' + this.postfix + " : " + ") + '\
            \
            ';

    var containerId = this.getContainerId();
    if (this.questionData) {
        for (var i = 0, cnt = this.questionData.length; i < cnt; i++) {
            var dataItem = this.questionData,
                checked = dataItem || false;

            answers += AS.core.format(itemTemplate, {
                hidQuelId: dataItem.hidQuelId,
                ctrlId: id,
                questionId: this.questionId,
                answer: dataItem,
                choice: LM.getMessage('COM_ARIQUIZ_CHOICE'),
                num: AQ.questions.util.getAnswerNumber(i + 1, this.answersOrderType),
                checked: checked ? 'checked="checked"' : "",
                selectedClass: checked ? 'aq-answer-selected' : "",
                readonly: readOnly ? 'disabled="disabled"' : "",
                containerId: containerId
            });
        }
    }

    return AS.core.format(containerTemplate, {
        "containerId": containerId,
        "answers": answers
    });
},
```



---

Where am I wrong?  
Thank you for your time and patience.

=====